

Section 1 - Identification

Product Name: CPL 2004

Alternate Name: All Organic One Drum With Sulfite

Recommended Use: Boiler water treatment

Manufacturer: Chem Pro Laboratory, Inc., 941 W 190th St, Gardena CA 90248, 310-532-8611

ChemTrec: 800-424-9300 (Transportation Spill Response 24 hours)

Section 2 - Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

DANGER







Harmful if swallowed

May cause allergy or asthma symptoms or breathing difficulties if inhaled Causes severe skin burns and serious eye damage

Avoid breathing dust/fume/gas/mist/vapors/spray.

Do not breathe dusts or mists.

Do not eat, drink or smoke when using this product.

Wash contacted areas thoroughly after handling.

Wear eye and face protection, protective gloves and clothing, and respiratory protection.

IF EXPERIENCING RESPIRATORY SYMPTOMS: Call a poison center or doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Wash skin with plenty of water. Wash contaminated clothing before reuse.

IF SWALLOWED: Immediately call a poison center or doctor. Rinse mouth. Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with federal, state, and local regulations.

Section 3 - Composition/information on ingredients

Chemical Name	CAS Number	Percent
sodium sulfite	7757-83-7	10-20%
sodium polyacrylate	9003-04-7	5-10%
1-hydroxyethylidene-1,1-diphosphonic acid (HEDP)	2809-21-4	1-5%
potassium hydroxide	1310-58-3	1-5%
sodium hydroxide	1310-73-2	1-5%
sodium lignosulfonate	8061-51-6	<1%

CPL 2004 Page 1/4



Section 4 - First-aid measures

Emergency and First Aid Procedures:

Inhalation On over-exposure, remove to fresh air. Get medical attention.

Eye Contact Flush with large quantities of water for at least 15 minutes, lifting upper and lower eyelids

occasionally; continue flushing while waiting for medical assistance.

Skin Contact Flush thoroughly with water; wash with soap/water while removing all contaminated clothing

and shoes. Get immediate medical attention.

Ingestion Do not induce vomiting. Dilute by giving milk or water if conscious. Get medical attention

immediately.

Symptoms of Overexposure:

Inhalation Not normal route of entry. Dried or evaporated liquid can produce irritating dust.

Contact with Skin or Eyes Possible skin irritation and corneal damage.

Absorption Through Skin May irritate skin, not absorbed.

Ingestion Burning. LD50 i.v. 175 mg Sodium Sulfite/kg mice.

Section 5 - Fire-fighting measures

Extinguishing Media water spray, carbon dioxide, dry chemical, or appropriate foam

Fire Fighting Procedure Flood with water, using care not to splash or splatter material.

Unusual Fire/Explosion Hazard Not combustible. Dried salts in the presence of moisture may react with combustible material.

Hazardous Combustion Products Substance is noncombustible

Section 6 - Accidental release measures

Spill Response Procedure Collect liquid in a suitable container then neutralize with dilute acid solution.

Section 7 - Handling and storage

Handling Precautions No special handling procedures are required.

Storage Conditions Store in a cool dry place. Keep container tightly sealed in a dry and ventilated area. Do not

store unopened containers in direct sunlight for extended periods.

Section 8 - Exposure controls/personal protection

Chemical Name	OSHA PEL	ACGIH TLV
sodium sulfite	not listed	not listed
sodium polyacrylate	not listed	not listed
1-hydroxyethylidene-1,1-diphosphonic acid (HEDP)	not listed	not listed
potassium hydroxide	not listed	2 mg/m3 (C)
sodium hydroxide	2 mg/m3 TWA	2 mg/m3 (C)
sodium lignosulfonate	not listed	not listed

Ventilation Mechanical (general) exhaust required.

Respiratory Protection Not required unless dusting is noted. Then use NIOSH approved respirator for acids.

Protective Gloves Rubber or impermeable gloves.

CPL 2004 Page 2/4



Eye Protection Safety goggles.

Other Protective Equipment Impermeable apron advised.

Work / Hygenic Practices Handle in accordance with good industrial hygiene and safety practices.

Section 9 - Physical and chemical properties

Appearance Dark brown liquid Vapor Pressure @20°C Approx. 14 mm Hg

OdorSlight AmmoniacalVapor DensityN/AOdor ThresholdNot DeterminedSpecific Gravity1.23pH12.0-12.4Solubility in Water100%

Melting Point, °F Approx. 32 deg F Partition Coefficient Not Determined

Boiling Point, °F Approx. 212 deg F Auto Ignition Temp, °F N/A

Flash Point, °F Not Flammable Decomposition Temp, °F Not Determined

Evaporation Rate 1 Viscosity Not Determined

Flammability Limits N/A Percent Volatile 80%

Section 10 - Stability and reactivity

Reactivity not reactive in water

Stability stable under normal conditions

Conditions to Avoid Organic and mineral acids and some metals.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products

Oxides of phosphorus, carbon oxides, nitrogen oxides, hydrogen gas

Hazardous Polymerization Hazardous polymerization will not occur.

Section 11 - Toxicological information

Routes of Entry skin or eye contact, ingestion

Acute Exposure Symptoms May cause irritation to nose, throat, eyes, & skin.

Chronic Exposure Effects Not determined

Medical Conditions Aggravated By Exposure Not determined.

Acute Toxicity:

Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
sodium sulfite	7757-83-7	>2000 mg/kg	no data	no data
sodium polyacrylate	9003-04-7	>5000 mg/kg	>2000 mg/kg	no data
1-hydroxyethylidene-1,1-diphosphonic acid (HEDP)	2809-21-4	1800 mg/kg	no data	no data
potassium hydroxide	1310-58-3	273 mg/kg	no data	no data
sodium hydroxide	1310-73-2	300-500 mg/kg	>2000 mg/kg	no data
sodium lignosulfonate	8061-51-6	6030 mg/kg	no data	no data

Carcinogenicity:

Ingredients are on the following lists of suspected or known carcinogens:

Chemical Name	CAS Number:	IARC	NTP	OSHA
sodium sulfite	7757-83-7	No	No	No
sodium polyacrylate	9003-04-7	No	No	No
1-hydroxyethylidene-1,1-diphosphonic acid (HEDP)	2809-21-4	No	No	No

CPL 2004 Page 3/4

SAFETY DATA SHEET CPL 2004

potassium hydroxide 1310-58-3 No No No No sodium hydroxide 1310-73-2 No No No No sodium lignosulfonate 8061-51-6 No No No

Section 12 - Ecological information

Overview: No data

Section 13 - Disposal considerations

Preparing Waste For Disposal Dispose of in accordance with Federal, State, and local regulations. After neutralizing, waste

should be acceptable for flushing to sanitary sewer.

Section 14 - Transport information

DOT Shipping Not DOT Regulated

Section 15 - Regulatory information

California Proposition 65 This product does not contain chemicals listed by California proposition 65.

HMIS Ratings Health: 1, Flammability: 0, Reactivity: 0

Section 16 - Other information

Date Prepared 5/20/2015

Preparer Michael Bortnik, Keith Johnson

The data in this Safety Data Sheet is accurate to the best of our knowledge. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control, Chem Pro Laboratory, Inc. MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN AND DISCLAIMS ALL LIABILITY FOR RELIANCE THEREON. User should have relative technical skills and satisfy himself that he has all current data relevant to his particular product and its applications.

CPL 2004 Page 4/4