



Section 1 - Identification

Product Name: CPL 3054
Alternate Name: All Organic Blend Without Acid
Recommended Use: Cooling tower water treatment
Manufacturer: Chem Pro Laboratory, Inc., 941 W 190th St, Gardena CA 90248, 310-532-8611
ChemTrec: 800-424-9300 (Transportation Spill Response 24 hours)

Section 2 - Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

DANGER



Causes severe skin burns and serious eye damage

Do not breathe dusts or mists.

Wash contacted areas thoroughly after handling.

Wear eye and face protection, and protective gloves and clothing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Wash skin with plenty of water. Wash contaminated clothing before reuse.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with federal, state, and local regulations.

Section 3 - Composition/information on ingredients

Chemical Name	CAS Number	Percent
polyamine/amine phosphonate	proprietary	5-10%
polyacrylicmaleic polymer	29132-58-9	1-5%
2-phosphonobutane-1,2,4-tricarboxylic acid (PBTC)	37971-36-1	1-5%
polyethylene glycol	25322-68-3	1-5%

Section 4 - First-aid measures

Emergency and First Aid Procedures:

Inhalation On over-exposure, remove to fresh air; get medical attention.

Eye Contact Flush with large quantities of water for at least 20 minutes, lifting upper and lower lids occasionally. Contact a physician.

Skin Contact Flush thoroughly with water; wash with soap/water while removing all contaminated clothing and shoes. Contact a physician.



Ingestion Do not induce vomiting; dilute by giving milk or water if conscious. Get medical attention immediately.

Symptoms of Overexposure:

Inhalation Inhalation of mist can be injurious to lungs.

Contact with Skin or Eyes Eye irritation.

Absorption Through Skin Skin irritation

Ingestion Burning. LD50 for sulfuric acid in rates 2.14 g/kg.

Section 5 - Fire-fighting measures

Extinguishing Media dry chemical

Fire Fighting Procedure H₂SO₄ or SO₃ can be released at high temperatures. Use respirator approved by NIOSH.

Unusual Fire/Explosion Hazard Reacts with most metals to form hydrogen gas which can form explosive mixture with air.

Hazardous Combustion Products Substance is noncombustible

Section 6 - Accidental release measures

Spill Response Procedure Flush with plenty of water and neutralize acid with soda ash, lime or bicarbonate of soda. Note: Neutralize will release (CO₂) gas requiring adequate ventilation.

Section 7 - Handling and storage

Handling Precautions Avoid all handling and storage procedures that may result in spills, leaks or punctures. Handle and store in areas with unlimited water supply.

Storage Conditions Store in a cool dry place. Keep container tightly sealed in a dry and ventilated area. Do not store unopened containers in direct sunlight for extended periods.

Section 8 - Exposure controls/personal protection

Chemical Name	OSHA PEL	ACGIH TLV
polyamine/amine phosphonate	not listed	not listed
polyacrylicmaleic polymer	not listed	not listed
2-phosphonobutane-1,2,4-tricarboxylic acid (PBTC)	not listed	not listed
polyethylene glycol	10 mg/m ³ TWA	not listed

Ventilation Mechanical (general) exhaust required.

Respiratory Protection The use of respiratory protection depends on vapor concentration above the time-weighted TLV; use NIOSH approved cartridge respirator or gas mask.

Protective Gloves Rubber or impermeable gloves.

Eye Protection Safety glasses, chemical goggles and or face shield.

Other Protective Equipment Impermeable aprons are advised. The availability of eye washes and safety showers in work area is recommended.

Work / Hygienic Practices Handle in accordance with good industrial hygiene and safety practices.

Section 9 - Physical and chemical properties

Appearance	Clear colorless liquid	Vapor Pressure @20°C	10 @ 18 deg F
Odor	Odorless	Vapor Density	>1



Odor Threshold	Not Determined	Specific Gravity	1.05
pH	1.8	Solubility in Water	Complete
Melting Point, °F	30 to 35 deg F	Partition Coefficient	Not Determined
Boiling Point, °F	200 deg F	Auto Ignition Temp, °F	Non Flammable
Flash Point, °F	Not Flammable	Decomposition Temp, °F	Not Determined
Evaporation Rate	<1	Viscosity	Not Determined
Flammability Limits	N/A	Percent Volatile	N/A

Section 10 - Stability and reactivity

Reactivity	in water: N/A
Stability	stable under normal conditions
Conditions to Avoid	Temperatures above 150 deg F, Base (Alkali), nitrites, carbides, chlorates and metal powders. Contact with organic substances and metals.
Incompatible Materials	Strong alkali
Hazardous Decomposition Products	Sulfur trioxide gas (SO3) at high temperatures.
Hazardous Polymerization	Hazardous polymerization will not occur.

Section 11 - Toxicological information

Routes of Entry	inhalation, skin or eye contact, ingestion
Acute Exposure Symptoms	Respiratory irritation and inflammation.
Chronic Exposure Effects	Lung damage. Dental erosion. Causes severe burns.
Medical Conditions Aggravated By Exposure	N/A

Acute Toxicity:

Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
polyamine/amine phosphonate	proprietary	no data	no data	no data
polyacrylicmaleic polymer	29132-58-9	3874 mg/kg	no data	no data
2-phosphonobutane-1,2,4-tricarboxylic acid (PBTC)	37971-36-1	>2000 mg/kg	>2000 mg/kg	no data
polyethylene glycol	25322-68-3	>10000 mg/kg	>20000 mg/kg	no data

Carcinogenicity:

Ingredients are on the following lists of suspected or known carcinogens:

Chemical Name	CAS Number:	IARC	NTP	OSHA
polyamine/amine phosphonate	proprietary	No	No	No
polyacrylicmaleic polymer	29132-58-9	No	No	No
2-phosphonobutane-1,2,4-tricarboxylic acid (PBTC)	37971-36-1	No	No	No
polyethylene glycol	25322-68-3	No	No	No

Section 12 - Ecological information

Overview: No data

Section 13 - Disposal considerations

Preparing Waste For Disposal Neutralize acid with alkali and flush to sewer with plenty of water if permitted b local and state regulations.



Section 14 - Transport information

DOT Shipping UN1830, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, PG II, (SULFURIC ACID)

Section 15 - Regulatory information

California Proposition 65 This product does not contain chemicals listed by California proposition 65.

HMIS Ratings Health: 2, Flammability: 0, Reactivity: 0

Section 16 - Other information

Date Prepared 5/22/2015

Preparer Michael Bortnik, Keith Johnson

The data in this Safety Data Sheet is accurate to the best of our knowledge. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control, Chem Pro Laboratory, Inc. **MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN AND DISCLAIMS ALL LIABILITY FOR RELIANCE THEREON.** User should have relative technical skills and satisfy himself that he has all current data relevant to his particular product and its applications.