

Section 1 - Identification

Product Name:	CPL 4020
Alternate Name:	Near Neutral pH Closed Loop Cleaner Passivator
Recommended Use:	Closed system cleaner
Manufacturer:	Chem Pro Laboratory, Inc., 941 W 190th St, Gardena CA 90248, 310-532-8611
ChemTrec:	800-424-9300 (Transportation Spill Response 24 hours)

Section 2 - Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

DANGER



Toxic if inhaled

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor.

Store in a well-ventilated place. Keep container tightly closed, locked up.

Dispose of contents/container in accordance with federal, state, and local regulations.

Section 3 - Composition/information on ingredients

Chemical Name	CAS Number	Percent
sodium tripolyphosphate (STPP)	7758-29-4	5-10%
sodium gluconate	527-07-1	1-5%
sodium polyacrylate	9003-04-7	1-5%

Section 4 - First-aid measures

Emergency and First Aid Procedures:

Inhalation	On over-exposure, remove to fresh air; Get medical attention.
Eye Contact	Flush with large quantities of water for at least 15 minutes, lifting upper and lower lids occasionally; continue flushing while waiting for medical assistance.
Skin Contact	Flush thoroughly with water. Wash with soap/water while removing all contaminated clothing and shoes; Get immediate medical attention.
Ingestion	Do not induce vomiting; dilute by giving milk or water if conscious; Get medical attention immediately.
Symptoms of Overexposure:	
Inhalation	Not normal route of entry. Dried or evaporated liquid can produce irritating dust.
Contact with Skin or Eyes	Possible skin irritation and corneal damage.
Absorption Through Skin	Can irritate skin, not absorbed.



Ingestion	Possible severe irritation.			
Section 5 - Fire-fighting r	neasures			
Extinguishing Media	water spray, carbon dioxide, dry chemical, or appropriate foam			
Fire Fighting Procedure	N/A			
Unusual Fire/Explosion Hazard	None			
Hazardous Combustion Products Oxides of carbon				
Section 6 - Accidental re	lease measures			
Spill Response Procedure	Collect liquid in a suitable container then neutralize with dilute acid solution.			
Section 7 - Handling and storage				
Handling Precautions	No special handling procedures are required.			
Storage Conditions	Store in a cool dry place. Keep container tightly sealed in a dry and ventilated area. Do not store unopened containers in direct sunlight for extended periods.			

Section 8 - Exposure controls/personal protection

Chemical Name		OSHA PEL	ACGIH TLV
sodium tripolyphosphate (STPP)		not listed	not listed
sodium gluconate		not listed	not listed
sodium polyacrylate		not listed	not listed
Ventilation	Local and mechanical (general) exhaust required.		
Respiratory Protection	Not required unless dusting is noted. Then use NIOSH approved respirator for acids.		
Protective Gloves	Rubber or impermeable gloves.		
Eye Protection	Safety goggles.		
Other Protective Equipment	Impermeable apron advis	ed.	
Work / Hygenic Practices	Protect containers from e	xtreme temperatures.	

Section 9 - Physical and chemical properties

ppearance	Clear colorless liquid	Vapor Pressure @20°C	N/A
)dor	Odorless	Vapor Density	N/A
dor Threshold	Not Determined	Specific Gravity	1.10
н	8.0-8.3	Solubility in Water	100%
lelting Point, °F	N/A	Partition Coefficient	Not Determined
iling Point, °F	212 deg F	Auto Ignition Temp, °F	N/A
ash Point, °F	Not Flammable	Decomposition Temp, °F	Not Determined
aporation Rate	0.8	Viscosity	Not Determined
ammability Limits	N/A	Percent Volatile	N/A

Section 10 - Stability and reactivity

Reactivity

in water: Not reactive.



CHEM PRO LAB INC WATER TREATMENT SPECIALISTS CHEMICAL ENGINEERS

Stability	stable under normal conditions	
Conditions to Avoid	Organic and mineral acids and some metals.	
Incompatible Materials	Strong mineral acids.	
Hazardous Decomposition Products None		
Hazardous Polymerization	Hazardous polymerization will not occur.	

Section 11 - Toxicological information

Routes of Entry	skin or eye contact, ingestion						
Acute Exposure Symptoms	Possible severe	irritation to nose,	throat and skin.				
Chronic Exposure Effects	Not determined.						
Medical Conditions Aggravated	By Exposure	Not determined.					
Acute Toxicity:							
Chemical Name		CAS Number	Oral LD50	Dermal LD	050	Inhalation LC5	0
sodium tripolyphosphate (STPP)		7758-29-4	3120 mg/kg	4640 mg/k	g	0.39 mg/L	
sodium gluconate		527-07-1	>2000 mg/kg	no data		no data	
sodium polyacrylate		9003-04-7	>5000 mg/kg	>2000 mg/	'kg	no data	
Carcinogenicity:							
Ingredients are on the following lis	ts of suspected or	known carcinoger	is:				
Chemical Name		CAS N	umber:	IARC	NT	P OSHA	
sodium tripolyphosphate (STPP)		7758-2	9-4	No	No	No	
sodium gluconate		527-07	-1	No	No	No	
sodium polyacrylate		9003-0	4-7	No	No	No	
Section 12 - Ecological in	nformation						
Overview:	No data						

Section 13 - Disposal considerations

Preparing Waste For DisposalDispose in accordance with Federal, State and local regulations. After neutralizing, waste
should be acceptable for flushing to sanitary sewer.

Section 14 - Transport information

DOT Shipping	Not DOT Regulated
Section 15 - Regulatory	information

California Proposition 65	This product does not contain chemicals listed by California proposition 65.
HMIS Ratings	Health: 1, Flammability: 0, Reactivity: 0

Section 16 - Other information

Date Prepared	5/22/2015
Preparer	Michael Bortnik



CHEM PRO LAB INC WATER TREATMENT SPECIALISTS CHEMICAL ENGINEERS

The data in this Safety Data Sheet is accurate to the best of our knowledge. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control, Chem Pro Laboratory, Inc. MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN AND DISCLAIMS ALL LIABILITY FOR RELIANCE THEREON. User should have relative technical skills and satisfy himself that he has all current data relevant to his particular product and its applications.