

Section 1 - Identification

Product Name:	Sulfuric Acid 93%
Alternate Name:	(internal# CPL5000)
Recommended Use:	pH adjuster
Manufacturer:	Chem Pro Laboratory, Inc., 941 W 190th St, Gardena CA 90248, 310-532-8611
ChemTrec:	800-424-9300 (Transportation Spill Response 24 hours)

Section 2 - Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;



Fatal if inhaled

May cause cancer

Causes severe skin burns and serious eye damage

Do not breathe dust/fume/gas/mist/vapors/spray.

Do not breathe dusts or mists.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Use only outdoors or in a well-ventilated area.

Wash contacted areas thoroughly after handling.

Wear eye and face protection, protective gloves and clothing, and respiratory protection.

IF EXPOSED OR CONCERNED: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Wash skin with plenty of water. Wash contaminated clothing before reuse.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Store in a well-ventilated place. Keep container tightly closed, locked up.

Dispose of contents/container in accordance with federal, state, and local regulations.

Section 3 - Composition/information on ingredients

Chemical Name	CAS Number	Percent
sulfuric acid	7664-93-9	90-100%

Section 4 - First-aid measures

Emergency and First Aid Procedures:		
Inhalation	On over-exposure, remove to fresh air; get immediate medical attention.	
Eye Contact	Flush with large quantities of water for at least 30 minutes, lifting upper and lower eye lids occasionally; continue flushing while waiting for medical assistance.	
Skin Contact	Flush thoroughly with water; wash with soap/water while removing all contaminated clothing	



	and shoes; get immediate medical attention.
Ingestion	Do not induce vomiting; dilute by giving milk or water if conscious; get medical attention immediately.
Symptoms of Overexposure:	
Inhalation	Breathing difficulties, dizziness or light-headedness.
Contact with Skin or Eyes	Skin burns and corneal damage.
Absorption Through Skin	Burning and charring to skin, not absorbed.
Ingestion	Burning and charring.

Section 5 - Fire-fighting measures

Extinguishing Media	dry chemical
Fire Fighting Procedure	Avoid contact with water. H2SO4 or SO3 can be released at high temperatures. Use respirator approved by NIOSH.
Unusual Fire/Explosion Hazard	Reacts with most metals to form hydrogen gas which can form explosive mixture with air.
Hazardous Combustion Product	s Substance is noncombustible

Section 6 - Accidental release measures

Spill Response Procedure Flush with plenty of water and neutralize acid with soda ash, lime or caustic.

Section 7 - Handling and storage

Handling Precautions	No special handling procedures are required.
Storage Conditions	Store in a cool dry place. Keep container tightly sealed in a dry and ventilated area. Do not store unopened containers in direct sunlight for extended periods.

Section 8 - Exposure controls/personal protection

Chemical Name sulfuric acid	OSHA PEL 1 mg/m3 TWA	ACGIH TLV 0.2 mg/m3 TWA
Ventilation	Local and mechanical (general) exhaust required.	
Respiratory Protection	The use of respiratory protection depends on vapor con TLV; use NIOSH approved cartridge respirator or gas r	0
Protective Gloves	Rubber or impermeable gloves.	
Eye Protection	Safety glasses, chemical goggles and/or face shield.	
Other Protective Equipment	Impermeable aprons are advised. The availability of eye area is recommended.	e washes and safety showers in work
Work / Hygenic Practices	Handle in accordance with good industrial hygiene and	safety practices.

Section 9 - Physical and chemical properties

Appearance	Colorless oily liquid.	Vapor Pressure @20°C	1 mm Hg @ 146 deg C
Odor	Odorless	Vapor Density	>1
Odor Threshold	Not Determined	Specific Gravity	1.8
рН	<1.0	Solubility in Water	Complete
Melting Point, °F	30 to 35 deg F	Partition Coefficient	Not Determined



CHEM PRO LAB INC WATER TREATMENT SPECIALISTS CHEMICAL ENGINEERS

Boiling Point, °F	Approximately 600 deg F	Auto Ignition Temp, °F	Non Flammable
Flash Point, °F	Not Flammable	Decomposition Temp, °F	Not Determined
Evaporation Rate	N/A	Viscosity	Not Determined
Flammability Limits	N/A	Percent Volatile	Same as water.

Section 10 - Stability and reactivity

Reactivity	in water: Generates heat on dilution		
Stability	stable under normal conditions		
Conditions to Avoid	Temperatures above 150 deg F, Base (alkali), nitrites, carbides, chlorates and metal powders.		
Incompatible Materials	Strong oxidizers. Strong Alkali.		
Hazardous Decomposition Prod	ucts Sulfur trioxide gas (SO3) at high temperatures.		
Hazardous Polymerization	Hazardous polymerization will not occur.		

Section 11 - Toxicological information

Routes of Entry	inhalation, skin	or eye contact, ing	estion			
Acute Exposure Symptoms	Respiratory irritation and inflammation.					
Chronic Exposure Effects	Possible lung damage. Dental erosion.					
Medical Conditions Aggravated	l By Exposure	Not known.				
Acute Toxicity:						
Chemical Name		CAS Number	Oral LD50	Dermal L	D50 Inha	alation LC50
sulfuric acid		7664-93-9	2140 mg/kg	no data	0.32	20 mg/L
Carcinogenicity:						
Ingredients are on the following list	sts of suspected or	known carcinoge	ns:			
Chemical Name		CAS N	lumber:	IARC	NTP	OSHA
sulfuric acid		7664-9	03-9	Yes	Yes	Yes
Section 12 - Ecological i	nformation					
Overview:	No data					
Section 13 - Disposal co	onsiderations					
Preparing Waste For Disposal	Neutralize acid with alkali and flush to sewer with plenty of water if permitted by local and State regulations. In some cases, waste may have to be hauled away by disposal contractor.					
Section 14 - Transport	information					
DOT Shipping	UN1830, SULFURIC ACID, 8, PG II					
Section 15 - Regulatory	information					
California Proposition 65	This product co	ntains chemicals li	sted by California	proposition 6	35.	
HMIS Ratings	This product contains chemicals listed by California proposition 65. Health: 3, Flammability: 0, Reactivity: 2					
		·, ·, ····	,			



Section 16 - Other information

Date Prepared 6/20/2017 (revised)

Preparer Michael Bortnik, Keith Johnson

The data in this Safety Data Sheet is accurate to the best of our knowledge. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control, Chem Pro Laboratory, Inc. MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN AND DISCLAIMS ALL LIABILITY FOR RELIANCE THEREON. User should have relative technical skills and satisfy himself that he has all current data relevant to his particular product and its applications.